MID GRAGI




MILI GRACE












Create your own fast and furious.

Brand new self-developed central motor, with high matching ratio between coil and magnetic steel. Working with belt,

win the best weight distribution between front and rear wheel. Sporty experience improved.



LCD ELECTRONIC INSTRUMENT PANEL

Ingenious combination of technology and retro style
Inspired by a classic mechanical instrument panel of café racer,
It is more refined, simple, and graceful while backlight enhances texture in details.





FOC vector controller 3.0

FOC vector controller, Version 3.0.

More powerful, higher efficiency.

Self developed BMOS communication system.

Input power increased 16%.

Fully upgraded power system. Toque controlled.

Work with high-accuracy controller setting.

Inspire the full potential of driving system.


Big capacity lithium pack

Plentiful energy, support longer autonomy.


Passed UN38.3 tests.

Lithium pouch cell, with high capacity 3240Wh.

Autonomy 110km tested in lab at speed 45km/h.







Intelligent life

Intelligent vehicle inspection,
Real-time location, drive tracking
Synchronizes the battery info. automatically
Intelligent riding play in your own way

*SUPER SOCO App is available subject to countries.



Spoke Wheel Version

CBS, Front and rear brake combined brake system

CBS, Front and rear brake combined brake system
High efficiency brake, Safe and reliable.
Front and rear 240mm disc brake.
Front wheel with three pistons floating calipers.
Rear wheel with single piston floating calipers.
Improving braking performance.
Teflon Brake tube.

High coefficient of anti-swelling, more secure.

The Main Specifications			
Туре:	Lithium battery – Removable	Max Speed:	95KM/H
Battery Capacity:	72V45Ah	Distance Range: 110KM @ 45KM/H Average Speed with 75kg driver	
Charging Time:	4–4.5H/each battery	Climbing Capacity:	≤17°
Weight (Excl. Batte	ery): 79KG	Туре:	Mid Drive Motor
LxWxH:	1988x735x1034	EEC Power:	3900W
Ground Clearance	: 185mm	Max Power (Speed Release):	5100W
Fr/Rr Suspension:	Hydraulic	Rated Torque:	11 N·m
Brakes: Fr.Disc (240mm) / Re.Disc (240mm) CB) / Re.Disc (240mm) CBS

^{*} The data come from the corporate laboratory tests in ideal conditions and all data are for reference only.



